

\* Hladilne omare GN2/1 | Refrigerated cabinets GN2/1

\* Hladilne omare 500 | Refrigerated cabinets 500

\* Hladilne omare za ribe | Fish cabinets

\* Hladilne omare za kampe | Camping cabinets

\* Hladilni pulti | Refrigerated counters

Hladilne omare GN2/1

Refrigerated cabinets GN2/1



Model Type	Širina x globina x višina Width x depth x height	Prostornina Volume	Masa Mass	Temperaturno območje Temperature range	Priključna moč Power input	Napajanje Power suply	Poraba energije Energy consumption	Št. polic No. of shelves
CM 700 SS	710x800x2000	650	150	-2°/+8°	425	230/50	4.2	4
CN 700 SS	710x800x2000	650	162	-18°/-24°	600	230/50	10.9	4
CM 1400 SS	1420x700x2000	1300	230	-2°/+8°	640	230/50	5.3	8
CN 1400 SS	1420x700x2000	1300	245	-18°/-24°	700	230/50	14.2	8
CM/CN 700 SS	710x800x2000	650	165	+2°/+10° -2°/+8°	540	230/50	6.2	4
CM/CN 700 SS	710x800x2000	650	165	-2°/+8° -18°/-22°	720	230/50	9.0	4
CN/CN 700 SS	710x800x2000	650	165	-18°/-22° -18°/-22°	850	230/50	15.2	4
CM/CN 1400 SS	1420x700x2000	1300	254	-2°/+8° -18°/-22°	1025	230/50	16.2	8
CM 700 SS SV*	710x800x2000	650	160	-2°/+8°	425	230/50	5.3	4
CN 700 SS SV*	710x800x2000	650	170	-18°/+22°	700	230/50	14.7	4
CM 1400 SS SV*	1420x700x2000	1300	250	-2°/+8°	530	230/50	6.1	8
CN 1400 SS SV*	1420x700x2000	1300	270	-18°/-22°	900	230/50	17.5	8

\* za temperaturo okolice 32°C

C..... Omara GN2/1 | Cabinet GN2/1

700/1400... Model

SS..... Nerjaveča pločevina AISI 304 | Stainless steel AISI 304

SV..... Steklena vrata | Glass door

B..... Belo lakirani zunanji plašč | White outer coat

2D..... Dvojna vrata po višini | Two vertical doors

RU..... Oddvojeni agregat | Remote unit

P..... Temperaturno območje -2°/+10° | Temperature range -2°/+10°

M..... Temperaturno območje -2°/-8° | Temperature range -2°/-8°

N..... Temperaturno območje -18°/-24° | Temperature range 18°/-24°

## KARAKTERISTIKE | FEATURES

Ohišje izdelano iz AISI 304 | Structure made of AISI 304

Zunanji plašč sijaj | Scotchbrite polished outer coat

Avtomatsko delovanje | Fully automatic operation

Izolacija brez CFC-70 mm | Isolation 100% CFC free-70 mm

Leva-desna vrata | Reversible doors

Samozaporna vrata | Self closing doors

Elektronska regulacija | Electronically controlled

Dinamično hlajenje | Fan assisted cooling

Zamenljiva guma na vratih | Replaceable door gasket

Nastavljive noge | Adjustable feet

Ključavnica | Lock

Zaobljeni koti za enostavno čiščenje | Internal rounded corners for easy cleaning

Delovanje pri +43°C | High ambient operation +43°C

Zamenljiva hladilna enota | Removable compact refrigerating unit

## NOTRANJA OPREMA | FITTING

Nastavljive in odstranljive nosilne letve | Adjustable and removable shelf supports

Plastificirane rešetke | Plastic coated shelves

Notranja osvetlitev | Internal light

Ključavnica | Lock

## OPCIJE | OPTIONS

Zračni filter | Air filter

RH funkcija | RH function

RU verzija | RU version

RF rešetke | SS shelves (Confectionary set?)

## DODATNA OPREMA | ACCESSORIES

Kolesca | Castors



zamenljiva guma

replaceable door gasket



zaobljeni vogali

rounded corners



zamenljiv agregat

removable refrigerating unit



Alpfrigo d.o.o.  
Obrtna cona Logatec 11a  
SI-1370 Logatec  
Slovenija

T +386 (0)40 85 00 22  
E [info@alpfrigo.com](mailto:info@alpfrigo.com)

[www.alpfrigo.com](http://www.alpfrigo.com)